


Item # 4357, Rectangle Shaped Gaskets



Rectangle Shaped Gaskets

Stock Locator

Laird Technologies specializes in quick turnaround of custom shapes and sizes of EMI shielding gaskets. If you don't find exactly what you need, our engineers will help you design the right solution to your shielding problem.

A sampling for standard profiles are shown; custom configurations and sizes can be designed to meet your specific requirements.

SPECIFICATIONS

Height	0.080 inches 2.0 mm																				
Width	0.394 inches 10.0 mm																				
Fabric Types	<p>Knit Mesh Ripstop Taffeta</p> <table border="1"> <thead> <tr> <th>Fabric Type</th> <th>Material</th> <th>Construction</th> <th>Applications</th> <th>Benefits</th> </tr> </thead> <tbody> <tr> <td>Knit Mesh</td> <td>WGA, WGA</td> <td>±0.01" dimensional</td> <td>All in Public Goods</td> <td>Conformability, Flame Retardance, Tear Resistance</td> </tr> <tr> <td>Ripstop</td> <td>WGA</td> <td>±0.01" dimensional</td> <td>Public Goods</td> <td>Conformability, Flame Retardance, Tear Resistance</td> </tr> <tr> <td>Taffeta</td> <td>WGA</td> <td>±0.01" dimensional</td> <td>All Goods</td> <td>Low Cost, Flame Retardance</td> </tr> </tbody> </table>	Fabric Type	Material	Construction	Applications	Benefits	Knit Mesh	WGA, WGA	±0.01" dimensional	All in Public Goods	Conformability, Flame Retardance, Tear Resistance	Ripstop	WGA	±0.01" dimensional	Public Goods	Conformability, Flame Retardance, Tear Resistance	Taffeta	WGA	±0.01" dimensional	All Goods	Low Cost, Flame Retardance
Fabric Type	Material	Construction	Applications	Benefits																	
Knit Mesh	WGA, WGA	±0.01" dimensional	All in Public Goods	Conformability, Flame Retardance, Tear Resistance																	
Ripstop	WGA	±0.01" dimensional	Public Goods	Conformability, Flame Retardance, Tear Resistance																	
Taffeta	WGA	±0.01" dimensional	All Goods	Low Cost, Flame Retardance																	
Pressure Sensitive Adhesive	<table border="1"> <thead> <tr> <th>Adhesive</th> <th>Construction</th> <th>Applications</th> <th>Benefits</th> </tr> </thead> <tbody> <tr> <td>Acrylic</td> <td>100%</td> <td>High Heat, High Temperature, Resistant</td> <td></td> </tr> <tr> <td>Epoxy</td> <td>100%</td> <td>High Heat, High Temperature, Resistant</td> <td></td> </tr> </tbody> </table>	Adhesive	Construction	Applications	Benefits	Acrylic	100%	High Heat, High Temperature, Resistant		Epoxy	100%	High Heat, High Temperature, Resistant									
Adhesive	Construction	Applications	Benefits																		
Acrylic	100%	High Heat, High Temperature, Resistant																			
Epoxy	100%	High Heat, High Temperature, Resistant																			
Foam Types	<p>Thermoplastic Elastomer (TPE) Urethane</p> <table border="1"> <thead> <tr> <th>Foam Type</th> <th>Construction</th> <th>Applications</th> <th>Benefits</th> </tr> </thead> <tbody> <tr> <td>Thermoplastic Elastomer (TPE)</td> <td>±0.01"</td> <td>High Heat, High Temperature, Resistant</td> <td>Conformability, Flame Retardance, Tear Resistance</td> </tr> <tr> <td>Urethane</td> <td>±0.01"</td> <td>High Heat, High Temperature, Resistant</td> <td>Conformability, Flame Retardance, Tear Resistance</td> </tr> </tbody> </table>	Foam Type	Construction	Applications	Benefits	Thermoplastic Elastomer (TPE)	±0.01"	High Heat, High Temperature, Resistant	Conformability, Flame Retardance, Tear Resistance	Urethane	±0.01"	High Heat, High Temperature, Resistant	Conformability, Flame Retardance, Tear Resistance								
Foam Type	Construction	Applications	Benefits																		
Thermoplastic Elastomer (TPE)	±0.01"	High Heat, High Temperature, Resistant	Conformability, Flame Retardance, Tear Resistance																		
Urethane	±0.01"	High Heat, High Temperature, Resistant	Conformability, Flame Retardance, Tear Resistance																		
Height and Width Tolerance	± .020 inches ± 0.5 mm																				