

PCN Number:	20131114000	PCN Date:	12/10/2013
Title:	LM3466 datasheet		
Customer Contact:	PCN Manager	Phone:	+1(214) 480-6037
Dept:	Quality Services		
Change Type:	<input checked="" type="checkbox"/> Electrical Specification		

PCN Details

Description of Change:

The product datasheet(s) is being update to update current sense specification.

The following change history provides further details. These changes may be reviewed at the datasheet links provided

LM3466



SNOSB96F – JUNE 2011 – REVISED NOVEMBER 2013

www.ti.com

REVISION HISTORY

Changes from Revision E (AUGUST 2013) to Revision F	Page
• Changed Electrical Characteristics table. Updated current sense specification.	3

The SEN bias current on page 3 of the datasheet for the LM3466MA products are changing as follows:

	Min	Typical	Max
Before	9.77uA	10.5uA	11.23uA
After	9.35uA	10.29uA	11.23uA

This increases the Sen bias current tolerance from +/7% to +/-9% and moves center lower by 2%.

The datasheet number will be changing.

Device Family	Change From:	Change To:
LM3466	SNOSB96E	SNOSB96F

The updated datasheet(s) can be accessed by the following link(s):

<http://www.ti.com/product/lm3466>

Reason for Change:	
To more accurately reflect device characteristics.	
Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):	
Electrical specification performance changes as indicated above.	
Changes to product identification resulting from this PCN:	
None	
Product Affected:	
LM3466MR/NOPB	LM3466MRX/NOPB

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
Japan	PCNJapanContact@list.ti.com